

## Experience List for Wellhead Equipment/X-Mas Trees



Name of Manufacturer: **Wetco**

| Temp. Rating | PR Level | PSL | Material Class | Material Grade        | API Rating/WP,psi | Size                                   | No. of Sets | Description                      | Sour Nace MR 0175 | Service (Oil/Gas) | Year | Location             | Customer   | S.No. |
|--------------|----------|-----|----------------|-----------------------|-------------------|--|-------------|----------------------------------|-------------------|-------------------|------|----------------------|------------|-------|
| U            | 2        | 2   | DD-NL          | AISI 4130             | 3000 , 5000 10000 | 20-3/4",18-3/4"                        | 7           | TOOLS                            | YES               | OIL               | 2021 | AHVAZ                | MAPNA      | 1     |
| U            | 2        | 2   | DD-NL          | AISI 4130             | 5000              | 3-1/8"                                 | 13          | SRP X-MAS TREE                   | YES               | OIL               | 2021 | AHVAZ                | F.N.A.A    | 2     |
| U            | 2        | 2   | DD-NL          | AISI 4130             | 5000              | 7-1/16"                                | 7           | WELLHEAD, X-MAS TREE             | YES               | OIL               | 2021 | AHVAZ                | I.O.E.C    | 3     |
| U            | 2        | 2   | DD-NL          | AISI 4130             | 5000              | 7-1/16"                                | 3           | WELLHEAD, X-MAS TREE             | YES               | OIL               | 2021 | AHVAZ                | N.I.S.O.C  | 4     |
| U            | 2        | 2   | DD-NL          | AISI 4130             | 5000              | 7-1/16"                                | 5           | WELLHEAD, X-MAS TREE             | YES               | OIL               | 2021 | AHVAZ                | N.I.S.O.C  | 5     |
| U            | 2        | 3   | FF-NL          | AISI 4130<br>AISI 410 | 10000             | 20" X 13-3/8" X 9-5/8" X 4-1/2"        | 6           | WELLHEAD, X-MAS TREE             | YES               | OIL               | 2021 | AZADEGAN             | N.I.D.C    | 6     |
| U            | 2        | 3   | FF-1.5         | AISI 4130<br>AISI 410 | 10000             | 20" X 13-3/8" X 9-5/8" X 4-1/2"        | 5           | WELLHEAD, X-MAS TREE             | YES               | OIL               | 2020 | AZADEGAN             | PECO       | 7     |
| U            | 2        | 2   | EE-NL          | AISI 4130<br>AISI 410 | 3000              | 13-3/8" X 9-5/8" X 4-1/2"              | 5           | WELLHEAD, X-MAS TREE             | YES               | OIL               | 2020 | ABUZAR               | I.O.O.C    | 8     |
| U            | 2        | 3G  | FF-0.5         | AISI 4130<br>AISI 410 | 10000 , 5000      | 20" X 13-3/8" X 9-5/8" X5-1/2", 4-1/2" | 19          | WELLHEAD, X-MAS TREE<br>ESP type | YES               | OIL               | 2020 | AZADEGAN             | TDDC       | 9     |
| U            | 2        | 3G  | EE-NL          | AISI 4130<br>AISI 410 | 5000              | 20" X 13-3/8" X 9-5/8"X5-1/8"          | 5           | WELLHEAD, X-MAS TREE             | YES               | OIL & GAS         | 2020 | CNETRE WELLS OF IRAN | I.C.O.F.C. | 10    |
| U            | 2        | 2   | DD-NL          | AISI 4130             | 5000              | 7-1/16"                                | 11          | WELLHEAD, X-MAS TREE             | YES               | OIL               | 2019 | AHVAZ                | MAPNA      | 11    |
| U            | 2        | 2   | DD-NL          | AISI 4130             | 5000              | 7-1/16"                                | 4           | WELLHEAD, X-MAS TREE             | YES               | OIL               | 2019 | AHVAZ                | DANA       | 12    |
| U            | 2        | 3   | FF-1.5         | AISI 4130<br>AISI 410 | 3000 , 5000       | 9-5/8" X 4-1/2"                        | 10          | ESP WELLHEAD, X-MAS TREE         | YES               | OIL               | 2019 | SIRI                 | DCI        | 13    |
| U            | 2        | 3G  | FF-0.5         | AISI 4130<br>AISI 410 | 5000              | 20" X 13-3/8" X 9-5/8" X 4-1/2"        | 4           | ESP WELLHEAD                     | YES               | OIL               | 2019 | AZADEGAN             | PEDEX      | 14    |
| U            | 2        | 2   | DD-NL          | AISI 4130             | 5000              | 7-1/16"                                | 9           | WELLHEAD, X-MAS TREE             | YES               | OIL               | 2019 | AHVAZ                | O.I.E.C    | 15    |
| U            | 2        | 2   | DD-NL          | AISI 4130             | 3000              | 7-1/16"                                | 14          | WELLHEAD, X-MAS TREE             | YES               | OIL               | 2018 | AHVAZ                | O.I.E.C    | 16    |
| U            | 2        | 2   | DD-NL          | AISI 4130             | 3000              | 3-1/8"                                 | 70          | SURFACE SAFETY VALVE             | YES               | OIL               | 2017 | AHVAZ                | N.I.S.O.C  | 17    |
| U            | 2        | 3G  | EE-1.5         | AISI 4130<br>AISI 410 | 5000              | 7-1/16"                                | 60          | GATE VALVE                       | YES               | OIL               | 2017 | AHVAZ                | N.I.S.O.C  | 18    |
| U            | 2        | 3G  | EE-1.5         | AISI 4130<br>AISI 410 | 5000              | 7-1/16"                                | 20          | X-MAS TREE                       | YES               | OIL               | 2017 | AHVAZ                | N.I.S.O.C  | 19    |
| U            | 2        | 2   | DD-NL          | AISI 4130             | 3000, 5000        | 9-5/8" X 3-1/2"                        | 5           | ESP WELLHEAD, X-MAS TREE         | YES               | OIL               | 2016 | AHVAZ                | N.I.S.O.C  | 20    |

## Experience List for Wellhead Equipment/X-Mas Trees



Name of Manufacturer: WETCO

| Temp. Rating | PR Level | PSL      | Material Class        | Material Grade                  | API Rating/WP,psi   | Size   | No. of Sets | Description                          | Sour Nace MR 0175 | Service (Oil/Gas) | Year | Location                             | Customer   | S.No. |
|--------------|----------|----------|-----------------------|---------------------------------|---------------------|--|-------------|--------------------------------------|-------------------|-------------------|------|--------------------------------------|------------|-------|
| U            | 2        | 2, 3, 3G | DD-NL, EE-NL, FF-NL   | AISI 4130, AISI 410 INCONEL 718 | 3000, 5000 15000    | VARIOUS SIZES  | 100         | WELLHEAD, X-MAS TREE                 | YES               | OIL & GAS         | 2015 | IRAN                                 | KALA       | 21    |
| U            | 2        | 2        | DD-NL                 | AISI 4130                       | 3000                | 7-1/16"  | 70          | SURFACE SAFTY VALVE                  | YES               | OIL               | 2015 | AHVAZ                                | N.I.S.O.C  | 22    |
| U            | 2        | 2        | DD-NL                 | AISI 4130                       | 5000                | 7-1/16"  | 70          | SURFACE SAFTY VALVE                  | YES               | OIL               | 2015 | AHVAZ                                | N.I.S.O.C  | 23    |
| U            | 2        | 2        | DD-NL                 | AISI 4130                       | 3000                | 20" X 13-3/8"  | 30          | WELLHEAD                             | YES               | OIL               | 2015 | AHVAZ                                | N.I.S.O.C  | 24    |
| U            | 2        | 2        | DD-NL                 | AISI 4130                       | 2000, 3000          | 18-5/8" X 13-3/8"  | 100         | WELLHEAD                             | YES               | OIL               | 2015 | CNETRE WELLS OF IRAN                 | KALA       | 25    |
| U            | 2        | 2        | DD-NL                 | AISI 4130                       | 2000, 3000          | 18-5/8" X 13-3/8"  | 100         | WELLHEAD                             | YES               | OIL               | 2015 | AHVAZ                                | N.I.S.O.C  | 26    |
| U            | 2        | 3G       | FF-NL                 | AISI 410 INCONEL 718            | 10000               | 9-5/8" X 7"<br>9-5/8" X 7 X 5                                  | 14          | WELLHEAD, X-MAS TREE                 | YES               | GAS               | 2015 | KISH GAZI ZONE                       | N.I.D.C    | 27    |
| U            | 2        | 2, 3, 3G | DD-NL, EE-0.5, FF-0.5 | AISI 4130<br>AISI 410           | 3000, 5000<br>10000 | 20" X 13-3/8" X 9-5/8" X 4-1/2"<br>20" X 13-3/8" X 9-5/8" X 7" | 13          | WELLHEAD, X-MAS TREE<br>ESP WELLHEAD | YES               | OIL               | 2015 | AZADEGAN                             | PEDEX      | 28    |
| U            | 2        | 2        | DD-NL                 | AISI 4130                       | 3000, 5000          | 7-1/16"  | 150         | GATE VALVE                           | YES               | OIL               | 2014 | AHVAZ                                | N.I.S.O.C  | 29    |
| U            | 2        | 2        | DD-NL                 | AISI 4130<br>AISI 410           | 3000, 5000          | 9-5/8" X 7"  | 63          | TUBING HEAD SPOOL,<br>TUBING HANGER  | YES               | OIL               | 2014 | AHVAZ                                | N.I.S.O.C  | 30    |
| U            | 2        | 2        | DD-NL                 | AISI 4130<br>AISI 410           | 3000, 5000          | 18-5/8" X 13-3/8" X 9-5/8" X 7"                                | 35+12       | WELLHEAD, X-MAS TREE                 | YES               | OIL               | 2014 | AHVAZ                                | N.I.S.O.C  | 31    |
| U            | 2        | 2        | DD-NL                 | AISI 4130                       | 3000, 5000          | 7-1/16"  | 100         | GATE VALVE                           | YES               | OIL               | 2014 | AHVAZ                                | N.I.S.O.C  | 32    |
| U            | 2        | 2        | DD-NL                 | AISI 4130                       | 5000                | 2-1/16"  | 500         | GATE VALVE                           | YES               | OIL               | 2014 | AHVAZ                                | N.I.S.O.C  | 33    |
| U            | 2        | 2        | DD-NL                 | AISI 4130                       | 3000, 5000          | 7-1/8"   | 20          | GATE VALVE                           | YES               | OIL               | 2014 | AHVAZ                                | N.I.S.O.C  | 34    |
| U            | 2        | 2        | DD-NL                 | AISI 4130<br>AISI 410           | 3000, 5000          | 20" X 13-3/8" X 9-5/8"   | 20          | WELLHEAD                             | YES               | OIL & GAS         | 2013 | CNETRE WELLS OF IRAN                 | I.C.O.F.C. | 35    |
| U            | 2        | 2        | EE-0.5                | AISI 4130<br>AISI 410           | 3000                | 4-1/16"  | 25          | GATE VALVE                           | YES               | OIL               | 2013 | IRAN                                 | N.I.D.C    | 36    |
| U            | 2        | 2        | EE-1.5                | AISI 4130<br>AISI 410           | 10000               | 7-1/16"  | 15          | X-MAS TREE                           | YES               | OIL               | 2013 | AHVAZ                                | N.I.S.O.C  | 37    |
| U            | 2        | 2, 3, 3G | EE-1.5<br>FF-1.5      | AISI 4130<br>AISI 410           | 3000, 5000<br>10000 | 13-3/8" X 9-5/8" X 4-1/2"<br>9-5/8" X 7", 9-5/8" X 4-1/2"      | 109         | WELLHEAD, X-MAS TREE                 | YES               | OIL & GAS         | 2013 | SALMAN, HENGAM, KHARK,<br>ABUZAR,... | I.O.O.C    | 38    |
| U            | 2        | 2        | DD-NL<br>EE-1.5       | AISI 4130<br>AISI 410           | 5000                | 9-5/8" X 7"  | 70          | TUBING HEAD SPOOL,<br>TUBING HANGER  | YES               | OIL               | 2013 | AHVAZ                                | N.I.S.O.C  | 39    |
| U            | 2        | 2        | DD-NL                 | AISI 4130                       | 5000                | 5-1/2" X 3-1/8"  | 10          | X-MAS TREE                           | YES               | OIL               | 2013 | AHVAZ                                | N.I.S.O.C  | 40    |

## Experience List for Wellhead Equipment/X-Mas Trees



Name of Manufacturer: **Wetco**

| Temp. Rating | PR Level | PSL   | Material Class  | Material Grade           | API Rating/WP,psi   | Size   | No. of Sets | Description                         | Sour Nace MR 0175 | Service (Oil/Gas) | Year | Location                  | Customer  | S.No. |
|--------------|----------|-------|-----------------|--------------------------|---------------------|--|-------------|-------------------------------------|-------------------|-------------------|------|---------------------------|-----------|-------|
| U            | 2        | 3G    | HH-NL           | AISI 4130<br>INCONEL 718 | 3000, 5000<br>6500  | 26" X 18-5/8" X 13-3/8" X<br>10-3/4" X 7"            | 80          | WELLHEAD, X-MAS TREE                | YES               | GAS               | 2012 | SOUTH PARS PHASE 13&22-24 | P.K.S.K   | 41    |
| U            | 2        | 2     | DD-NL<br>EE-NL  | AISI 4130                | 3000, 5000<br>10000 | 20" X 13-3/8" X 9-5/8"<br>18-5/8" X 13-3/8" X 9-5/8" | 28          | WELLHEAD, TOOLS, SPARES             | YES               | OIL               | 2012 | CNETRE WELLS OF IRAN      | KALA      | 42    |
| U            | 2        | 2     | DD-NL           | AISI 4130                | 3000                | 4-1/16"  | 25          | GATE VALVE                          | YES               | OIL               | 2012 | AHVAZ                     | N.I.S.O.C | 43    |
| U            | 2        | 2     | EE-1.5          | AISI 4130<br>AISI 410    | 3000                | 9-5/8" X 4-1/2"                                      | 10          | ESP WELLHEAD, X-MAS TREE            | YES               | OIL               | 2011 | SIRI                      | I.O.O.C   | 44    |
| U            | 2        | 2     | DD-NL<br>EE-NL  | AISI 4130                | 3000, 5000<br>10000 | 20" X 13-3/8" X 9-5/8"<br>18-5/8" X 13-3/8" X 9-5/8" | 75          | WELLHEAD, TOOLS, SPARES             | YES               | OIL               | 2011 | CNETRE WELLS OF IRAN      | KALA      | 45    |
| U            | 2        | 2     | EE-1.5          | AISI 4130                | 3000, 5000          | 2-1/16", 4-1/16", 7-1/16",<br>9"                     | 111         | GATE VALVE                          | YES               | OIL               | 2011 | CNETRE WELLS OF IRAN      | KALA      | 46    |
| U            | 2        | 2     | DD-NL<br>EE-1.5 | AISI 4130<br>AISI 410    | 5000                | 9-5/8" X 7"  | 50          | TUBING HEAD SPOOL,<br>TUBING HANGER | YES               | OIL               | 2011 | AHVAZ                     | N.I.S.O.C | 47    |
| U            | 2        | 3G    | FF-1.5          | AISI 4130<br>AISI 410    | 10000               | 9-5/8" X 4-1/2"                                      | 10          | WELLHEAD, X-MAS TREE                | YES               | GAS               | 2011 | HENGAM                    | I.O.O.C   | 48    |
| U            | 2        | 2     | DD-1.5          | AISI 4130<br>AISI 410    | 3000                | 7-1/16"  | 200         | GATE VALVE                          | YES               | OIL               | 2010 | AHVAZ                     | N.I.S.O.C | 49    |
| U            | 2        | 2 & 3 | DD-NL<br>EE-1.5 | AISI 4130<br>AISI 410    | 3000, 5000<br>10000 | VARIOUS SIZES  | 117         | WELLHEAD, TOOLS, SPARES             | YES               | OIL               | 2010 | CNETRE WELLS OF IRAN      | KALA      | 50    |
| U            | 2        | 2     | EE-1.5          | AISI 4130<br>AISI 410    | 5000                | 7-1/16"  | 27          | GATE VALVE                          | YES               | OIL               | 2010 | AHVAZ                     | N.I.S.O.C | 51    |
| U            | 2        | 2     | EE-1.5          | AISI 4130<br>AISI 410    | 3000                | 4-1/16"  | 72          | GATE VALVE                          | YES               | OIL               | 2010 | AHVAZ                     | N.I.S.O.C | 52    |
| U            | 2        | 2     | EE-1.5          | AISI 4130<br>AISI 410    | 3000                | 4-1/16"  | 72          | GATE VALVE                          | YES               | OIL               | 2010 | AHVAZ                     | N.I.S.O.C | 53    |
| U            | 2        | 2     | EE-1.5          | AISI 4130<br>AISI 410    | 3000                | 4-1/16"  | 73          | GATE VALVE                          | YES               | OIL               | 2010 | AHVAZ                     | N.I.S.O.C | 54    |
| U            | 2        | 2     | EE-1.5          | AISI 4130<br>AISI 410    | 5000                | 7-1/16"  | 30          | GATE VALVE                          | YES               | OIL               | 2010 | AHVAZ                     | N.I.S.O.C | 55    |
| U            | 2        | 2     | DD-NL           | AISI 4130                | 5000                | 7-1/16"  | 70          | SURFACE SAFTY VALVE                 | YES               | OIL               | 2010 | AHVAZ                     | N.I.S.O.C | 56    |
| U            | 1        | 2     | DD-NL<br>EE-1.5 | AISI 4130<br>AISI 410    | 5000                | 9-5/8" X 7"  | 25          | TUBING HEAD SPOOL,<br>TUBING HANGER | YES               | OIL               | 2009 | AHVAZ                     | N.I.S.O.C | 57    |
| U            | 2        | 2     | DD-NL<br>EE-1.5 | AISI 4130<br>AISI 410    | 3000, 5000<br>10000 | 20" X 13-3/8" X 9-5/8"                               | 9           | WELLHEAD, TOOLS, SPARES             | YES               | OIL               | 2009 | CNETRE WELLS OF IRAN      | KALA      | 58    |
| U            | 2        | 2     | DD-NL<br>EE-1.5 | AISI 4130<br>AISI 410    | 3000, 5000<br>10000 | 20" X 13-3/8" X 9-5/8"                               | 8           | WELLHEAD, TOOLS, SPARES             | YES               | OIL               | 2009 | CNETRE WELLS OF IRAN      | KALA      | 59    |
| U            | 2        | 2     | DD-NL           | AISI 4130                | 10000               | 4-1/16"  | 25          | GATE VALVE                          | YES               | OIL               | 2009 | CNETRE WELLS OF IRAN      | KALA      | 60    |

## Experience List for Wellhead Equipment/X-Mas Trees



Name of Manufacturer: WETCO

| Temp. Rating | PR Level | PSL | Material Class  | Material Grade           | API Rating/WP,psi   | Size                                       | No. of Sets | Description                         | Sour Nace<br>MR 0175 | Service<br>(Oil/Gas) | Year | Location              | Customer   | S.No. |
|--------------|----------|-----|-----------------|--------------------------|---------------------|--|-------------|-------------------------------------|----------------------|----------------------|------|-----------------------|------------|-------|
| U            | 1        | 2   | DD-NL<br>EE-1.5 | AISI 4130<br>AISI 410    | 5000                | 9-5/8" X 7"                                | 72          | TUBING HEAD SPOOL,<br>TUBING HANGER | YES                  | OIL                  | 2009 | CNETRE WELLS OF IRAN  | KALA       | 61    |
| U            | 2        | 2   | DD-NL           | AISI 4130                | 5000                | 5-1/2" X 3-1/8",<br>5-1/8"                 | 26          | X-MAS TREE                          | YES                  | OIL                  | 2008 | CNETRE WELLS OF IRAN  | KALA       | 62    |
| U            | 2        | 2   | EE-1.5          | AISI 4130<br>AISI 410    | 5000                | 2-1/16", 4-1/16", 7-1/16"                  | 90          | GATE VALVE                          | YES                  | OIL                  | 2008 | CNETRE WELLS OF IRAN  | KALA       | 63    |
| U            | 2        | 2   | DD-NL           | AISI 4130                | 3000, 5000<br>10000 | 4-1/16"                                    | 120         | GATE VALVE                          | YES                  | OIL                  | 2008 | CNETRE WELLS OF IRAN  | KALA       | 64    |
| U            | 2        | 2   | DD-NL           | AISI 4130                | 5000                | 5-1/2" X 3-1/8"                            | 46          | X-MAS TREE                          | YES                  | OIL                  | 2008 | CNETRE WELLS OF IRAN  | KALA       | 65    |
| U            | 2        | 2   | DD-NL<br>EE-1.5 | AISI 4130<br>AISI 410    | 3000, 5000<br>10000 | VARIOUS SIZES                              | 53          | WELLHEAD, X-MAS TREE                | YES                  | OIL & GAS            | 2008 | CNETRE WELLS OF IRAN  | I.C.O.F.C. | 66    |
| U            | 2        | 3G  | HH-NL           | AISI 4130<br>INCONEL 718 | 6500                | 26" X 18-5/8" X 13-3/8" X 10-<br>3/4" X 7" | 51          | WELLHEAD                            | YES                  | GAS                  | 2007 | SOUTH PARS PHASE 9-10 | P.O.G.C    | 67    |